




Mechelsesteenweg 434  
2650 Edegem  
[info@estools.be](mailto:info@estools.be)



	<b>tesa® 4621</b>
Backing	PE-Film, Polyester reinforcement
Color	Green
Total Thickness	130 µm
Liner	None
Adhesive	Acrylic
Adhesion to steel (ASTM)	3,7 N/cm
Elongation at break	20 %
<u>Tensile strength</u>	50 N/cm

**The perfect design for outdoor usage**

**TYPE 4621, GROEN , LENGTE 50M, BESTAAT IN BREEDTE 19,25,30,38mm,50mm**



## Features

- Gentle unwinding with no curling end
- Simply repositioned
- Easy to tear by hand in length and cross direction

- UV resistant and water repellent for months
- Residue-free removable up to 8 weeks
- Reinforced backing to withstand damages
- Green color



## Benefits

- Convenient to handle
- Less tape wasted
- No cutting device, no harms

- Reliable to use
- No cleaning efforts after removal
- Easy to spot on various substrates

## Main applications

tesa® 4621 multipurpose cloth tape can be used for all kinds of outdoor purposes, such as:

- Masking for the painting of facades, coating of floor markings, plastering, etc.
- Holding protective layers such as plastic films and paper sheets in place
- Fastening and bundling of wires, cables and loose objects
- Plus a variety of further uses like taping lightweight signs onto walls and the sealing of boxes

